

## SAN MICHELE<sup>™</sup> GLAZED PORCELAIN



### UNVEIL **UNMISTAKABLE** BEAUTY.


CONJURING THE AMBIENCE OF AN ITALIAN PIAZZA, THE BENEFITS OF THIS COLLECTION GO WELL BEYOND THE SURFACE.

#### REVEAL IMAGING™

UNVEIL THE BEAUTY OF NATURE. To bring the richness of travertine into your installation, Reveal Imaging™ creates a look that's virtually indistinguishable from natural stone, with the durability and ease of cleaning found in porcelain tile.

### MICROBAN® **TECHNOLOGY**

Features Microban Antimicrobial Protection for on-going protection against stain- and odorcausing bacteria — great for keeping surfaces cleaner between cleanings.



#### **PTCA**

San Michele has been certified by the Porcelain Tile Certification Agency.

### PORCELAIN

#### **RECYCLED MATERIALS**

Over 50% pre-consumer recycled materials make San Michele a more environmentally friendly choice for your home or installation, helping minimize your impact on the environment.





### Cross-Cut Field Tile



CREMA SI30 (CROSS-CUT)



MOKA SI32 (CROSS-CUT)



DORATO SI31 (CROSS-CUT)


# 



CREMA SI40 (VEIN-CUT)



DORATO SI41 (VEIN-CUT)



MOKA SI42 (VEIN-CUT)

### Mosaics

Available in CROSS-CUT only.



CREMA SI30 2 x 4 Mosaic



DORATO SI31 2 x 4 Mosaic



MOKA SI32 2 x 4 Mosaic

### Decorative Accents





MOKA SI52 2 x 12 Decorative Accent



DORATO SI5 I 2 x I2 Decorative Accent

## CREATIVE IDEAS







METAL AGES ROMAN SHIELD MA22 4 x 12 Accent STRIP



METAL AGES POLISHED BRONZE MAI2 4 x I2 Ashlar Chair Rail



METAL SIGNATURES AGED BRONZE JARDIN MSI I Border

### Pattern Ideas



BRICK PATTERN



ALTERNATING VERTICAL



BASKETWEAVE VERTICAL

#### **SIZES**

		SQ.FT. CARTON	PCS. PER CARTON
24 x 24 Field Tile	(23-1/3" x 23-1/3") (59.48 cm x 59.48 cm)	15.39	4
I2 x 24 Field Tile*	(11-1/2" x 23-1/3") (29.58 cm x 59.48 cm)	15.40	8
18 x 18 Field Tile	(17-1/2" x 17-1/2") (44.53 cm x 44.53 cm)	12.98	6
12 x 12 Field Tile	(11-1/2" x 11-1/2") (29.58 cm x 29.58 cm)	11.62	12
2 x 4 Mosaic** (Mesh-mounted on II-I/2" x II-I/2" Sheet)	(1-7/8" x 3-7/8") (29.58 cm x 29.58 cm)	8.79	9
2 x I2 Decorative Accent	(1.75" × 11-1/2" (4.5 cm × 29.58 cm)		10

<sup>\*</sup> Vein-Cut is only available in  $12 \times 24$ .

#### RESIDENTIAL USAGE

FLOORS	WALLS	COUNTERTOPS	EXTERIOR PATIOS	EXTERIOR POOL DECKS
F	$\bigvee$	C	EP	

Suitable for exterior floors and walls in freezing and non-freezing climates when proper installation methods are followed. Not recommended for pool decks.

#### **COMMERCIAL USAGE**

		INTERIOR		EXTE	RIOR
	RESIDENTIAL	LIGHT COMMERCIAL	COMMERCIAL	RESIDENTIAL	COMMERCIAL
Floors/Patios	<b>~</b>	<b>✓</b>	<b>~</b>	~	
Walls/Backsplashes	<b>~</b>	<b>✓</b>	<b>✓</b>	~	<b>~</b>
Countertops	~	<b>~</b>	<b>~</b>	~	~
Pool Decking					
Pool Linings	<b>✓</b>	<b>✓</b>	<b>✓</b>	~	<b>✓</b>

Water, oil, grease, etc. create slippery conditions. Floor applications with exposure to these conditions require extra caution in product selection. Not for use on ramps.

Suitable for freezing and non-freezing climates when proper installation methods are followed.

#### NOTES

Use of a latex modified thin-set is recommended for installation.

For additional information on Test Results and Classifications, visit us at www.daltile.com/TestResults

Special consideration needs to be given when installing tiles 20" and larger. Please refer to www.daltile.com/LargeTiles for more information.

Since there are variations in all fired ceramic products, tile and trim supplied for your particular installation may not match these samples. Final color selection should be made from actual tiles and trim and not from tile and trim samples or color reproductions. Manufactured in accordance with ANSI A 1371.1 standards.

For additional information, refer to "Factors to Consider" at www.daltile.com/CommercialFactors.

#### **TRIM**

TYPE	NUMBER	SIZE	PCS. PER CARTON
Bullnose (Cross-Cut only)	P-43C9	3 x 12	30

#### SHADE VARIATION



#### RANDOM (V4)

Extreme color and texture variation from tile to tile and within each tile; a random look.

#### INSTALLATION

THICKNESS	GROUT JOINT RECOMMENDATION
3/8"	1/8" (3/16" when rectangular sizes are used in a staggered brick-joint pattern, where the overlap does not exceed 33%)

#### DYNAMIC C.O.F. (WET): 2

The higher the rating, the higher the slip resistance.

I < 0.42 2 ≥ 0.42

#### STATIC C.O.F. (WET): 2

I 0.50 - 0.59

2 ≥ 0.60

#### **TEST RESULTS**

	ASTM#	RESULTS
Water Absorption	C373	< 0.5%
Breaking Strength	C648	> 250 lbs
Scratch Hardness	MOHS	8.0
Chemical Resistance	C650	Resistant
Dynamic C.O.F.	A137.1	≥ 0.42
Static C.O.F.	C1028	Wet: ≥ 0.60 Dry: ≥ 0.65
Abrasion Resistance	C1027	4

Dynamic C.O.F. (Wet) value as measured by the DCOF AcuTest<sup>SM</sup> helps to assess a product's suitability for a commercial environment. For more information, visit our website at www.daltile.com/DCOF.

<sup>\*\*</sup> Mosaic available in cross-cut only.

# SAN MICHELE GLAZED PORCELAIN



tloor ullet wall ullet countertop




By their very design, Daltile products can help make it easier for you to earn LEED  $^{\scriptscriptstyle{\text{\tiny M}}}$  points and/or points towards many industry leading green home building programs. From using recycled material content to establishing manufacturing facilities within 500 miles of your project, we help ensure you don't have to compromise your design to be environmentally conscious. For detailed information, visit daltilegreenworks.com.



Microban® Antimicrobial Technology is not designed to replace normal cleaning practices or protect users against foodborne illness. MICROBAN is a registered trademark of Microban Products Company.



















All or selected items within this series are made in the USA. For more information visit www.daltile.com/SanMichele

