

Home

Andretti

Armstrong

Sampras

Technical

Packaging

Merchandising

Contact


(campione)


andretti

Click Here for More Information









campione andretti glazed porcelain stoneware





UHAS Andretti 20"x20"



UHAN Andretti 13"x13"



Packaging

Home

Andretti

Armstrong

Sampras

Technical

Merchandising

Contact



UJ28 Andretti 61/2"x61/2"



UJ3B Andretti 31/4"x61/2"

Trims Available



UHA2 Andretti Bullnose 3"x13"



1½"x13"

UJ6N Nickel Chair Rail 1½"x13"

Decorative Options



UHA6 Andretti Mosaic - Octagon 2"x2" 13"x13"

Crystal Stone



LG4J Gold Mosaic 12"x12"



LG4E Coffee Mosaic 12"x12"

Romance Collection



Insert 4"x4"



Insert Insert 2"x2" 1"x1"



Insert 4"x4"



UJ62 Nickel UJ64 Nickel UJ66 Nickel UJ63 Bronze UJ65 Bronze Insert 2"x2"

UJ67 Bronze Insert 1"x1"

armstrong

Click Here for More Information






3¾"x6½" - 6½"x6½" - 13"x13" - 20"x20"



campione andretti glazed porcelain stoneware







UHA7 Armstrong Mosaic - Octagon 2"x2" 13"x13"





LG4J Gold Mosaic 12"x12"



LG4E Coffee Mosaic 12"x12"



UHAT Armstrong 20"x20"



UHAP Armstrong 13"x13"



UJ29 Armstrong UJ3C Armstrong 61/2"x61/2" 31/4"x61/2"

Trims Available



UHA3 Armstrong Bullnose 3"x13"



1½"x13"

UJ6N Nickel Chair Rail 1½"x13"



Andretti

Armstrong


Sampras

Technical

Packaging

Merchandising

Contact





Insert Insert 4"x4" 2"x2"



UJ62 Nickel UJ64 Nickel UJ66 Nickel Insert 1"x1"



UJ63 Bronze UJ65 Bronze Insert 4"x4"


Insert 2"x2"


UJ67 Bronze Insert 1"x1"

sampras

Click Here for More Information







campione sampras glazed porcelain stoneware





UHAU Sampras 20"x20"



UHAQ Sampras 13"x13"



Home

Armstrong

Sampras

Technical

Packaging

Merchandising

Contact



UJ3A Sampras UJ3D Sampras 61/2"x61/2" 31/4"x61/2"

Trims Available



UHA4 Sampras Bullnose 3"x13"



UJ6N Nickel Chair Rail 1½"x13"

Decorative Options



UHA8 Sampras Mosaic - Octagon 2"x2" 13"x13"





LG4J Gold Mosaic 12"x12"



LG4E Coffee Mosaic 12"x12"

Romance Collection



UJ62 Nickel UJ64 Nickel UJ66 Nickel Insert Insert 4"x4" 2"x2"



Insert 1"x1"



UJ63 Bronze UJ65 Bronze Insert 4"x4"

Insert 2"x2"

UJ67 Bronze Insert 1"x1"

campione testing/packaging glazed porcelain stoneware

packaging

MARZINE	Sizes	Pcs	Sq. Ft.	Weight (lbs.)	Thickness
Modular Tile	31/4"x 61/2"	72	10.55	42	0.334
Modular Tile	6½"x 6½"	36	10.55	42	0.334
Modular Tile	13"x 13"	15	17.91	67	0.334
Floor Tile	20"x 20"	6	16.15	84	0.433
Mosaic - Octagon 2"x2"	13"x 13"	10		39	Compatible
Insert	4"x 4"	8		2	Compatible
Insert	2"x 2"	8		1	Compatible
Insert	1"x 1"	10		1	Compatible
Mosaic	12"x 12"	10	11.63	39	Compatible
Chair Rail	1½"x 13"	10		8	Compatible
Bullnose	3"x 13"	20		21	Compatible

MAAAZIIB	Sizes	Ctn	Sq. Ft.	Weight (lbs.)
Modular Tile	31/4"x 61/2"	51	538.05	2142
Modular Tile	6½"x 6½"	51	538.05	214 2
Modular Tile	13"x 13"	38	680.58	2546
Floor Tile	20"x 20"	24	387.60	2016

Home

Andretti

Armstrong

Sampras

Technical

Packaging

Merchandising

Contact

technical

ASTM Test Results

Technical Characteristics	ASTM Standards	ASTM Test Results	ASTM Test Methods	
Water Absorption	≤ 0.50%	≤ 0.50%	C373	
Frost Resistance	As Reported	Resistant	C1026	
Scratch Resistance	MOHS 1-10	7	MOHS Scale	
Breaking Strength	≥ 250 lbf.	≥ 418 lbf.	C648	
Facial Dimension	-3.0% < Nominal ≤ 2.0%	Within Standard	C499	
Thickness	≤ 0.04 in (1.02 mm max)	Within Standard	C499	
Wedging (squareness)	+/- 0.25% or +/- 0.8 mm**	Within Standard	C502	
Warpage (flatness)	+/- 0.40% or +/- 1.8 mm**	Within Standard	C485	
Abrasion Resistance	Class 0 - Class V	Class IV*	C1027	
DCOF-Dynamic Coefficient of Friction (Wet Areas Only)†	As Reported	Minimum 0.42	DCOF AcuTest ^{SM*}	
SCOF-Static Coefficient of Friction (Dry)	As Reported	0.70 ≤ C.O.F. < 0.80	C1028	
SCOF-Static Coefficient of Friction (Wet)	As Reported	0.60 ≤ C.O.F. < 0.70	C1028	
Chemical Resistance	Class A - Class E	Class A	C650	
Stain Resistance	Class A - Class E	Class A	C1378	

Dynamic Coefficient of Friction (DCOF) - Water, oil, grease or other fluids create slippery conditions. When installing floors in areas with exposure to these conditions, a minimum D.C.O.F. value of 0.42 is required. Additionally, extra caution is required with regards to product selection and proper maintenance. Visit www.tcnatile.com for complete information regarding the DCOF Acutest test method and values.

*DCOF AcuTest is the industry designation for the test procedure contained in ANSI A137.1 Section 9.6, which has been extensively researched, allows for in-situ field measurements, and is in use at tile manufacturing facilities. It was so named to distinguish it from other DCOF measurements using different instruments and/or protocols.

** Whichever is less































(campione merchandising) glazed porcelain stoneware

Brochure

Size: 81/2"x 11"

Product Overview



Description: Campione Product Overview

Size: 8½" x 11" Illustrated Sample Boards



Description: Z434 Campione Andretti Description:

Illustrated Sample Board Size: 25"x 25"

strong

Illustrated Sample Board

Z435 Campione Arm-

Description: Z858 Campione Brochure

Size: 25"x 25"

Specifier Kit



Description: Z290 Campione Specifier Kit

Tri-fold Size: 101/4"x 121/2"

Contractor Board



Description: Z216 Campione Contractor

Size: 101/2"x 14"



Description: pras

Z436 Campione Sam-

Illustrated Sample Board

Size: 25"x 25"



Home

Andretti

Armstrong

Sampras

Technical

Packaging

Merchandising

Contact

Grouted Panel Display

Z643 Campione Header Panel

Z199 Waterfall Display

Z644 Campione Andretti/Armstrong

Z645 Campione Sampras

Z646 Campione Armstrong

Z647 Campione Andretti

Premier Retailer Display

Z592 Campione Graphic Panel

Z693 Campione Grouted Panel



American Marazzi Tile, Inc. Headquarters & Manufacturing Plant Telephone 972.226.0110

Fax

972.226.5629

359 Clay Road East Sunnyvale, Texas 75182 www.marazzitile.com contact@marazzitile.com

Color and other aesthetic features shown are as close as the limitation of the printing process will allow. We have tried to make this brochure as comprehensive and factual as possible. We reserve the right, however, to make changes at any time, without notice, in colors, materials, packaging, specifications and availability. Since some information may have been updated since time of printing, please check with American Marazzi Tile Customer Service for details.

Home

Andretti

Armstrong

Sampras

Technical

Packaging

Merchandising

Contact