

MODELS in SERIES

FIXED FRONT DRAWERS (Top is Roll-out on 5 Drawer)

<u>30" Width</u>	<u>36" Width</u>	<u>42" Width</u>
672L	682L	692L
673L	683L	693L
674L	684L	694L
675L	685L	695L

ROLLOUT SHELF (Bottom Drawer is Fixed)

<u>30" Width</u>	<u>36" Width</u>	<u>42" Width</u>
642L	652L	662L
643L	653L	663L
644L	654L	664L
645L	655L	665L

DIMENSIONS

Outside Case Dimensions:

- 30"/36"/42" x 19-11/64" x (W-D)
- **Height:**
 - 2 Drawer-28-13/32"
 - 3 Drawer- 40-27/32"
 - 4 Drawer-53-9/32"
 - 5 Drawer- 66-31/32"

Inside Drawer Dimensions:

- 30" Width-27" x 16" x 11-1/4" (W-D-H)
- 36" Width- 33" x 16" x 11-1/4" (W-D-H)
- 42" Width-39" x 16" x 11-1/4" (W-D-H)

Inside Roll Out Shelf Dimensions

- 30" Width- 27" x 16" x 10-3/8" (W-D-H)
- 36" Width- 33" x 16" x 10-3/8" (W-D-H)
- 42" Width- 39" x 16" x 10-3/8" (W-D-H)

Posting Shelf Dimensions

- 30" Width- 28-5/8" x 1-3/32" 12" (W-Thick-D) (extended shelf space)
- 36" Width- 34-5/8" x 1-3/32" 12" (W-Thick-D) (extended shelf space)
- 42" Width- 40-5/8" x 1-3/32" 12" (W-Thick-D) (extended shelf space)

CONSTRUCTION

Case:

- Top: Welded front corners
- Sides: 1 knockout per side, 2 in rear
- Vertical Uprights: (4)
- Counterweight: included in 2 and 3 drawer units
- Bottom: Welded front corners
- Base Stiffener (3,4,5 drawer units)
- Horizontal Crosspiece (4 & 5 drawer units)

DRAWER/SHELF CONSTRUCTION:

- Door Hinge Bracket: Glass reinforced nylon with nylon rollers
- Door Stop: 2 nylon pads
- Rubber Door Bumpers: 4 each door
- Hangrail: 2 per drawer-adjustable

Posting Shelf/Construction (5 Drawer)

- Glides- 6 nylon
- Springs- 2 (1/2" DIA x 2" Length)
- Rubber Shelf Stops: 2
- Rubber Spring Bumpers: 2

Suspension:

- Telescoping zinc plated

FEATURES

Description:

- 600 series lateral files are telescoping suspension files with full depth drawers. Adjustable hangrails are provided (2 per drawer or rolling shelf) to accommodate letter and legal sized filing.

Hardware:

- Recessed drawer pull, bright anodized aluminum
- Hangrails- 2 adjustable hangrails per drawer for side to side filing

Glides:

- 4 adjustable leveling glides with slotted hex head for screwdriver or ¼" 6 point socket-wrench.

Suspension:

- Telescoping zinc plated. 3 part telescoping slide suspension operating on 41 steel ball bearings (LH) 40 ball-bearings (RH) integrals with mechanical interlock

Mechanical Interlock:

- Drawer extension restraint, mechanical interlock to prevent extension of two or more drawers at the same time.

Locks:

- Cam lock operating segmented lock/interlock bars which engage one side of the drawer or door. 2 keys per lock supplied

Finish:

- Baked enamel over phosphatizing prime rust-proofing treatment.

Other:

- Fixed front drawer models
- The Top Drawer of the Five Drawer Model is a Roll-Out
- Welded Case Construction
- Stretch wrap packaging
- All HON products are shipped with the HON logo on the front

ACCESSORIES**Dividers:**

- **515704** (10 Pack)

Crossfile Hangrail:

- **919492** (2-Pack)

Laminate Tops:

- **519489** (1-30"W Unit)
- **519480** (1-36"W Unit)
- **519481** (1-42"W Unit)
- **519490** (2-30"W Units)
- **519582** (2-36"W Unit)
- **519483** (2-42"W Unit)

Crossfile Hangrail:

- **919492** (2 pack)

Hangrail Extensions:

- **919530** (5-Pack of 30" extensions)
- **919536** (5-Pack of 36" extensions)
- **919542** (5-Pack of 42" extensions)

CARTONING

<i>Model</i>	<i>Weight</i>	<i>Cubes</i>	<i>Carton</i>	<i>Carton- Outside Dimensions</i>
672L- 30" 2 Dwr	120 lbs.	12.36	Stretch Wrap	32-3/16"x 21-3/16"x 31-5/16"(D-W-H)
673L- 30" 3 Dwr	163 lbs.	17.24	Stretch Wrap	32-3/16"x21-3/16"x 43-11/16"(D-W-H)
674L- 30" 4 Dwr	179 lbs.	22.13	Stretch Wrap	32-3/16"x 21-3/16"x 56-1/16"(D-W-H)
675L- 30" 5 Dwr	209 lbs.	27.53	Stretch Wrap	32-3/16"x 21-3/16"x 69-3/4"(D-W-H)
642L- 30" 2 Dwr/Shelf	120 lbs.	12.36	Stretch Wrap	32-3/16"x 21-3/16"x 31-5/16"(D-W-H)
643L- 30" 3 Dwr/Shelf	163 lbs.	17.24	Stretch Wrap	32-3/16"x21-3/16"x 43-11/16"(D-W-H)
644L- 30" 4 Dwr/Shelf	179 lbs.	22.13	Stretch Wrap	32-3/16"x 21-3/16"x 56-1/16"(D-W-H)
645L- 30" 5 Dwr/Shelf	209 lbs.	27.53	Stretch Wrap	32-3/16"x 21-3/16"x 69-3/4"(D-W-H)
682L- 36" 2 Dwr	132 lbs.	14.74	Stretch Wrap	38-3/16"x 21-5/16"x 31-5/16"(D-W-H)
683L-36" 3 Dwr	169 lbs.	20.58	Stretch Wrap	38-3/16"x 21-5/16"x43-11/16"(D-W-H)
684L- 36" 4 Dwr	196 lbs.	26.40	Stretch Wrap	38-3/16"x 21-5/16"x 56-1/16"(D-W-H)
685L- 36" 5 Dwr	247 lbs.	32.85	Stretch Wrap	38-3/16"x 21-5/16"x 69-3/4"(D-W-H)

<i>Model</i>	<i>Weight</i>	<i>Cubes</i>	<i>Carton #</i>	<i>Carton- Outside Dimension</i>
685LF-36 5-Dwr	245 lbs.	32.85	Stretch Wrap	32-3/16"x 21-5/16"x 69-3/4"(D-W-H)
652L- 36" 2 Dwr/Shelf	132 lbs.	14.74	Stretch Wrap	38-3/16"x 21-5/16"x 31-5/16"(D-W-H)
653L-36" 3 Dwr/Shelf	169 lbs.	20.58	Stretch Wrap	38-3/16"x21-5/16"x 43-11/16"(D-W-H)
654L- 36" 4 Dwr/Shelf	177 lbs.	26.40	Stretch Wrap	38-3/16"x 21-5/16"x 56-1/16"(D-W-H)
655L- 36" 5 Dwr/Shelf	247 lbs.	32.85	Stretch Wrap	38-3/16"x 21-5/16"x 69-3/4"(D-W-H)
692L- 42" 2 Dwr	148 lbs.	17.06	Stretch Wrap	44-3/16"x 21-5/16" x 31-5/16"(D-W-H)
693L- 42" 3 Dwr	182 lbs.	23.81	Stretch Wrap	44-3/16"x 21-5/16x 43-11/16"(D-W-H)
694L- 42" 4 Dwr	214 lbs.	30.55	Stretch Wrap	44-3/16"x 21-5/16" x 56-1/16"(D-W-H)
695L- 42" 5 Dwr	274 lbs.	38.01	Stretch Wrap	44-3/16" x 21-5/16" x 69-3/4"(D-W-H)
662L- 42" 2 Dwr/Shelf	148 lbs.	17.06	Stretch Wrap	44-3/16"x 21-5/16" x 31-5/16"(D-W-H)
663L- 42" 3 Dwr/Shelf	182 lbs.	23.81	Stretch Wrap	44-3/16"x21-5/16"x 43-11/16"(D-W-H)
664L- 42" 4 Dwr/Shelf	214 lbs.	30.55	Stretch Wrap	44-3/16"x 21-5/16" x 56-1/16"(D-W-H)
665L- 42" 5 Dwr/Shelf	274 lbs.	38.01	Stretch Wrap	44-3/16" x 21-5/16" x 69-3/4"(D-W-H)

REVISIONS

<u>PDM</u>	<u>Date</u>	<u>What Was Changed</u>
1260		
Rev 2.0	5/18/05	Updates Specifications