

Lighting Your Life Since 1970

Product Specifications - 20096FTSN		
Job Name:	Job Type:	
Quantity:	Comments	



20096FTSN

Aurora 9-Light Chandelier

Finis	sh
Satin	Nickel

Lamping

Number of Bulbs 9 **Light Type** Incandescent **Bulb Type** MB Max Bulb Wattage 100 Max Fixture Wattage 900 **Rated Life** ±2,500 Hours **Rated Lumens** ±10,350 **Color Temp** ±2,700 K Bulb(s) Not Included Light Up/Down N/A Beam Spread N/A N/A **Photo Cell Included** N/A Ballast/Driver/Transformer No Dimmable Standard

Glass/Shac	de
Frosted	

Measurements
weasurements
\A/; al4la

Canopy Height

Canopy Length

Othor

Width	31.5"
Height	30.0"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	26.7 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	72"
Wire Length	180"
Canopy Width	N/A

Product Category

Multi-Tier Chandelier

Shipping	
Carton Weight	26.7 lbs
Carton Width	30"
Carton Height	12"
Carton Length	31"
Carton Cubic Feet	6.20
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Cartification

Certification		Other	
Safety Rating	Dry	UPC Code	783209054257
Energy Star	No	Shades Included	N/A
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	Steel

Equivalents

N/A

N/A

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.