

# Lighting Your Life Since 1970

Product Specifications - 11076FTOI		
Job Name:	Job Type:	
Quantity:	Comments	



### 11076FTOI

**Brentwood 1-Light Wall Sconce** 

**Finish** Oil Rubbed Bronze

Lamping

Number of Bulbs	1
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	100
Max Fixture Wattage	100
Rated Life	±2,500 Hours
Rated Lumens	±1,150
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	Both
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard

	lass	/S	ha	d	е
_					

Frosted

Measurement	S
Width	

wiatn	5.5
Height	9.5"
Length	N/A
Extension	7"
Back Plate Width	N/A
Back Plate Height	N/A
НСО	7.0"
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	2.4 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

## **Product Category** Wall Sconce

# Shinning

Snipping	
Carton Weight	2.4 lbs
Carton Width	9'
Carton Height	10'
Carton Length	9'
Carton Cubic Feet	0.43
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

# Certification

#### Safety Rating Dry **Energy Star** No CA Title 24 No CA Title 20 No ADA No Dark Sky N/A

Other	
UPC Code	783209006263
Shades Included	N/A
Crystals Included	N/A
Diffuser Included	N/A
Conversion Kit	N/A
Material	Stee

# **Equivalents**

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.