

Lighting Your Life Since 1970

Product Specifications - 85216WTBM			
Job Name:	Job Type:		
Quantity:	Comments		



85216WTBM

Luna 2-Light Outdoor Wall Lantern

N/A N/A

N/A

FinishGlass/ShadeProduct CategoryBrushed MetalWhiteOutdoor Wall Mount

Measurements

1 2	m	n	ın	\sim
La	,,,	v		u

Lamping	
Number of Bulbs	2
Light Type	Fluorescent
Bulb Type	GU24
Max Bulb Wattage	13
Max Fixture Wattage	26
Rated Life	±10,000 Hours
Rated Lumens	±1,800
Color Temp	±2,700 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	81-82
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	No

wiatn	9.0"
Height	21.0"
Length	N/A
Extension	4"
Back Plate Width	8.0"
Back Plate Height	20.0"
НСО	10.5"
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	5.5 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A

Shipping	
Carton Weight	5.5 lbs
Carton Width	12'
Carton Height	8'
Carton Length	24'
Carton Cubic Feet	1.39
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification	Other	Equivalents

Canopy Width

Canopy Height Canopy Length

oor amount on		0 (1101		=94114101160	
Safety Rating	Wet	UPC Code	783209028203	Incandescent Watts	164
Energy Star	No	Shades Included	N/A	Fluorescent Watts	N/A
CA Title 24	Yes	Crystals Included	N/A		
CA Title 20	No	Diffuser Included	N/A		
ADA	Yes	Conversion Kit	N/A		
Dark Sky	N/A	Material	Aluminum		

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.