

Lighting Your Life Since 1970

Product Specifications - 20700AVPT			
Job Name:	Job Type:		
Quantity:	Comments		



20700AVPT

Pine Grove 2-Light Flush Mount

Finish Pine Tree

Lamping

Number of Bulbs	2
Light Type	Incandescent
Bulb Type	CA
Max Bulb Wattage	75
Max Fixture Wattage	150
Rated Life	±2,500 Hours
Rated Lumens	±3,600
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard Dimmer

Glass/Shade
Amber Vanilla

M	۵۵	CI	ıre	m	۵n	te

measurements	
Width	15.0"
Height	6.0"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
НСО	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	9.3 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Product Category

Flush Mount

SI	hipping	
Ca	arton Weight	9.3 lbs
Ca	arton Width	16"
Ca	arton Height	11"
Ca	arton Length	17"
Ca	arton Cubic Feet	1.77
M	aster Pack	1
M	aster Pack Weight	N/A
M	aster Pack Width	N/A
M	aster Pack Height	N/A
M	aster Pack Length	N/A
M	aster Cubic Feet	N/A
UI	PS Shippable	Yes

Certification

Certification		Other	
Safety Rating	Dry	UPC Code	783209008083
Energy Star	No	Shades Included	N/A
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	Steel

Equivalents

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.