

Lighting Your Life Since 1970

Product Specifications - 12062MRSN		
Job Name:	Job Type:	
Quantity:	Comments	



12062MRSN

Newport 5-Light Chandelier

Finish	Glass/Shade	Product Category
Satin Nickel	Marble	Down Light Chandelier

Lamping	
Number of	Вι
Light Type	

Lamping

Number of Bulbs	5
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	100
Max Fixture Wattage	500
Rated Life	±2,500 Hours
Rated Lumens	±5,750
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard

1arble			

Measurements	
Width	25.0"
Height	17.5"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
НСО	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	10.2 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	36"
Wire Length	180"
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Shipping		
Carton Weig	jht	10.2 lbs
Carton Widt	h	23"
Carton Heig	ht	9"
Carton Leng	jth	24"
Carton Cubi	c Feet	2.83
Master Pack	ζ	1
Master Pack	Weight	N/A
Master Pack	Width	N/A
Master Pack	Height	N/A
Master Pack	Length	N/A
Master Cubi	c Feet	N/A
UPS Shippa	ble	Yes

Certification Other **Equivalents**

00.1041.0		0 (1101		=quivalonto	
Safety Rating	Dry	UPC Code	783209086173	Incandescent Watts	N/A
Energy Star	No	Shades Included	N/A	Fluorescent Watts	N/A
CA Title 24	No	Crystals Included	N/A		
CA Title 20	No	Diffuser Included	N/A		
ADA	No	Conversion Kit	N/A		
Dark Sky	N/A	Material	Iron		

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.