

Just Turn it on. "handwashing was never this hot"



Award Winning Hand-Washing Stations

Standard Features

- Hot and Cold Water System
- Exclusive One-Piece ABS Top, Stainless Steel Basin Options
- Water Tanks: 5-Gallon Fresh, 6-Gallon Waste
- Durable, Attractive Locking Maple Laminate Cabinet

Operating Requirements


- Exclusive Quick-Connect[™] Feature
- GFCI Outlet Protection
- Swivel Casters, Front Locking
- Components Comply to One or More of the Following Standards: FDA, UL, CSA, NSF
- Each sink must have grounded, dedicated 110V, 20 AMP circuit breaker
- Sink must be placed on a dry, inside level surface
- If extension cord is used, cord must be a 12/3, rated at 20 AMPs or higher

Special Orders

We offer a selection of custom colors, special order sink basins, and accessories not listed in this brochure. Call 1-866-663-1982 for all special order requests.

Basin Styles and Dimensions

ABS Basins: One-piece formed top for easy cleaning.






Table of Contents

Standard Features	2
Basin Styles and Dimensions	2
About Ozark River	3
Premier™, Adult Height Portable Hand-Washing Stations	
Kiddie Station™, Diaper Changer with Hand-Washing Station	5
Lil' Premier™, Preschool Height Portable Hand-Washing Stations	5
Silver Series™, All Stainless Top Portable Hand-Washing Stations	6
Advantage Series [™] , Modular Portable Sink Stations	7
Nature Series [™] , Outdoor Portable Hand-Washing Stations	
Accessories: EZ-Fill-n-Roll, Hands-Free Water Sensor	
Product Standards for Licensing Issues	
Warranty Information	
Steramine®, Quaternary Surface Sanitizer	
Contact Information	

Award Winning & Endorsed...

Ozark River portable hand-washing stations have won the prestigious 2008 Director's Choice and Judge's Selection Awards. They are recognized and endorsed by licensing agencies for assisting facilities and companies comply to hand-washing requirements. Our sinks are designed and manufactured to reduce the cost of installing hand-washing stations required by law for infection control. Ozark River Portable Sinks offer you sink location versatility and budget flexibility.

Remember, you now have a friend in the Ozarks.



I have had the privilege to purchase over thirty Ozark River Portable Sinks for the child care centers I oversee as a quality specialist. We have seen a huge increase in Health and Safety practices just by purchasing their sinks. We have found the quality to be outstanding and clean up is a cinch because there are no crevices for dirt to collect. Ozark River has made hand washing easy!

Debbie Link ELOA Quality Specialist, Lexington, Kentucky





Adult Height Portable Hand-Washing Station

Our Premier[™] portable sink is specifically designed to help you comply to licensing and health handwashing requirements. As with all of our portable hand-washing stations, the Premier[™] is shipped to you ready to unpack, add water, and plug in. The Premier[™] features our exclusive one-piece ABS top for easy clean-up. Our Premier[™] 1, 2, or 3 features stainless steel basins. Standard features include: Our Exclusive Quick Connect[™], long faucet handles, locking cabinet, and swivel casters.

	0	0
Model	Basin Type	Cabinet Dimensions
ORAD-P1	Standard Single ABS	38"H x 25.5"W x 17.5"D
ORAD-SS1	Single Stainless Steel	39"H x 25.5"W x 17.5"D
ORAD-SS2	Double Stainless Steel	39"H x 25.5"W x 17.5"D
ORAD-SS3	Triple Stainless Steel	39"H x 25.5"W x 17.5"D
ORAD-EW	Eye Wash Attachment	-

Preschool and School Age Portable Hand-Washing Station

Our Little Sink WON the BIG Award!

The **Award Winning** Lil' Premier[™] is perfect for little hands. It has been recognized and awarded by a panel of educational experts for safety, age appropriateness, durability, and value. Our Lil' Premier[™] portable sink is shipped to you fully assembled, just add water and plug in, just like all of our sinks.

The Lil' Premier[™] offers two basin options: Our exclusive one-piece ABS top for easy clean-up, or the single stainless steel basin.

Cabinet Dimensions for Both Sinks: 29"H x 25.5"W x 17.5"D

Model	Basin Type	
ORPS-P1	Standard Single ABS	
ORPS-SS1	Single Stainless Steel	

Kiddie **St** Station™

ORCH-SS1

Diaper Changer with Portable Hand-Washing Station

Dremier™

ORPS-P1

19th Annua

SE1

CHILDHOO

Hand washing right where you need it

when changing diapers. Our Kiddie Station[™] with handwashing features a 7" deep changing rail and includes a 1" thick changing pad. Locking under-deck storage area features one fixed-shelf. All of our sinks include the Quick Connect[™] feature, long faucet handles, locking sink cabinet for added safety, and swivel casters for easy mobility. Holds up to 40 lbs.

Changing Deck Dimensions: 7"H x 39"W x 21"D

ORCH-P1

Minimal assembly.

Model	Basin Type	Changer and Attachment Dimensions
ORCH-P1	Single ABS	39"H x 56.5"W x 25.5"D
ORCH-SS1	Single Stainless Steel	39"H x 56.5"W x 25.5"D

Silver Premier





ORSSAD-SS2

ORSSAD-SS3

10 10



Added Durability and Germ Resistance With All Stainless Steel Tops

Silver Ωremier™



Nature Series Premier[™]

Our outdoor portable hand-washing station is available with a stainless steel top and basin. Ideal for patios and outdoor tent events, in garages, and on decks.

See page 8 for all of our outdoor sinks.

All Stainless Top Portable Hand-Washing Stations

Silver Series[™] Ozark River Portable Sinks are made and engineered just like our Premier[™] and Lil' Premier[™]. They feature a completely stainless steel top and basin. All stainless complies to most licensing criteria that require stainless steel when handling food, beverages, or in various health care applications. But, if you like the look and feel of our Silver Series[™] portable sinks, you can order them for any application.



Standard features include: Exclusive Quick Connect[™] long faucet handles, locking maple laminate cabinet, and swivel casters.

Model	Name	Basin Type	Cabinet Dimensions
ORSSPS-SS1	Silver Lil' Premier™	Single Stainless Steel	29"H x 25.5"W x 17.5"D
ORSSAD-SS1	Silver Premier1 [™]	Single Stainless Steel	39"H x 25.5"W x 17.5"D
ORSSAD-SS2	Silver Premier2 [™]	Double Stainless Steel	39"H x 25.5"W x 17.5"D
ORSSAD-SS3	Silver Premier3™	Triple Stainless Steel	39"H x 25.5"W x 17.5"D
ORSSAD-NAT	Premier Nature [™]	Outdoor Sink	36"H x 25.5"W x 17.5"D

AdvantageSeries™

Innovative Compact Design With Multiple Configurations For Added Flexibility ADD Your Logo or Combine Multiple Units

Modular Portable Sink Stations

A hand-washing station that offers custom options at non-custom

prices. Our Advantage Series[™] features our self-contained Ozark River Portable Sinks with beautifully designed modules to offer design versatility and flexibility, with lots of extra storage and counter top space.

Our Advantage Sinks Include:


- Hot/Cold Running Water System
- Multiple Stainless Steel Basin Options
- Water Tanks: 5-Gal. Fresh, 6-Gal. Waste
- Locking Laminate Cabinet
- Heavy-Duty Swivel Casters
- Exclusive Quick-Connect[™] Feature
- GFCI Outlet Protection
- Components Comply with One or More of the Following Standards: FDA, UL, CSA, NSF

Optional Equipment:

Cup Holders, Condiment Inserts, Cooling and Warming Trays. Hand Towel Dispensers. Disposable Sanitary Glove or Tissue Box Holders. Custom Logo Decals or Specialized Signage. Ask us about customization options.

ORADV-SS3

ORADV-SS2



Model #	Description	Basin Type	Cabinet Dimensions
ORADV-BSC	Advantage Basic [™]	Cabinet Only	36"H x 50"W x 24"D
ORADV-SS1	Advantage1 [™] Portable Sink	Single Stainless	36"H x 50"W x 24"D
ORADV-SS2	Advantage2 [™] Portable Sink	Double Stainless	36"H x 50"W x 24"D
ORADV-SS3	Advantage3 [™] Portable Sink	Triple Stainless	36"H x 50"W x 24"D
ORADV-SHF	Corner Display Attachment	None	N/A

Styles, designs, color options and availability may change without notice.

Nature Series **Outdoor Use Hand-Washing Station**

Nature Premier"

Nature Premier

Outdoor Portable Hand Washing Stations

Our Nature Series[™] portable hand-washing station features our exclusively designed ABS top, natural wood finish, and rear locking access door. All stainless steel top option is available. Our Nature Series[™] portable sinks are cold water only and can be used in vendor tents, on patios and decks, on playgrounds, or anywhere you can "run" an extension cord.

ORPS-NAT

Special Features:

- Natural grooved wood with weather-resistant finish
- Outdoor UV cover option

Special Operating Requirements:

ORSSAD-NAT • Electrical Supply: 110V, 15 AMP GFCI outlet



ORAD-NAT

Model	Description	Top/Basin Type	Cabinet Dimensions
ORAD-NAT	Nature Premier [™]	ABS	36"H x 17.5"W x 25.5"D
ORPS-NAT	Nature Lil' Premier™	ABS	28"H x 17.5"W x 25.5"D
ORSSAD-NAT	Nature Premier [™]	Stainless	36"H x 17.5"W x 25.5"D
ORSSPS-NAT	Nature Lil' Premier™	Stainless	28"H x 17.5"W x 25.5"D




EZ-FLOW offers you a hands-free water source. It attaches to nearly any faucet, including our portable hand-washing stations. Runs on "AAA" batteries and includes manual override. **Saves up to 70% water usage.** Reduce Lifting Water Tanks! Make Filling Lank Not Included

Less effort is required when filling and moving water tanks with our EZ-Fill Kit[™]. Fill tube (FDA approved) features versatile rubber adapter to fit most faucets. This kit helps reduce lifting full water tanks to water source.

Easy-to-roll tank dolly with non-skid strips nestles up to our sinks for easier tank movement and placement.

We Help You Comply to the Standards



Two-Year Limited Product Warranty

Ozark River Portable Sink Units are manufactured and warranted by Integrity Distribution LLC (Manufacturer) to be free of defects in materials and workmanship due to manufacturing errors and are subject to the conditions, limitations, and exclusions set forth below.

THERE IS NO OTHER EXPRESS WARRANTY. IMPLIED WARRANTIES, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED TO TWO YEARS FROM DATE OF PURCHASE, OR TO THE EXTENT PERMITTED BY LAW ANY AND ALL IMPLIED WARRANTIES ARE EXCLUDED. LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES ARE EXCLUDED TO THE EXTENT EXCLUSION IS PERMITTED BY LAW. Some states or countries do not allow limitations on how long warranty lasts, and some states or countries do not allow the exclusion or limitation of incidental or consequential damages, so the able limitation and exclusion may not apply to Purchaser. This warranty gives Purchaser specific legal rights and Purchaser may also have other rights, which vary from state to state and country to country. We authorize no person to change or add to any of our obligations under this warranty. Our obligations for service and parts under this warranty must be performed by the Manufacturer only.

Warranty Period

The warranty period begins on date of purchase and continues for the period of time stated above. This Warranty is applicable only to the Original Purchaser of the warranty product and is not transferable. All secondary owners are exempt from receiving warranty service, including all and any products transferred from business sales, online auctions or other means of obtaining our products other than directly from an authorized dealer. Proof of purchase will be required for any limited warranty on Integrity Distribution LLC products.

Warranty Information

The Manufacturer will repair the Product using either new or refurbished parts within a reasonable time and without charge for materials or labor. If the Manufacturer is unable to repair the Product after a reasonable number of attempts as determined by the Manufacturer, the Manufacturer will provide a replacement Product at Manufacturer's option.

The warranty will not cover the following:

- (a) Normal Wear and Tear
- (b) Conditions resulting from a defect in a component or part, which is not part of the product or manufactured by Manufacturer.
- (c) Unauthorized Service or Modification to unit of any kind, and repairs done by someone other than Manufacturer.
- (d) Conditions resulting from a failure to follow Manufacturer's Installation and Operation Manual, or Owner's Manual, including any violation of use restrictions expressed therein.
- (e) Conditions resulting from failure to provide reasonable and necessary maintenance in accordance with the Owner's Manual, including failure to drain the Product in the event of indoor temperatures below 32° Fahrenheit.
- (f) Corrosion that is caused by operating the Product with any fluid other than clean domestic water. Specifically, water must meet EPA Standards and have PH maintained between 7.0 and 9.0 at all times.
- (h) Conditions that may result in excessive scale build up within the Product.
- (i) Conditions resulting from improper draining or filling.
- (j) Freight damage
- (k) External causes such as abuse, misuse, inadequate power supply, or acts of God.

How to Obtain Warranty Service

Notify the Manufacturer by telephone, facsimile, or letter with the name of the Dealer the warranty unit was purchased from and the nature of the warranty problem. Service will be provided by the Manufacturer, customer, dealer, or third party assigned by the Manufacturer. For specific instructions on how to obtain warranty service for warranted product, Purchaser can call Technical Support at 1-866-663-1982.

- (a) Original Purchaser must provide proof and date of purchase.
- (b) Purchaser must assist the manufacturer in diagnosing warranted product and follow warranty process.
- (c) Purchaser must obtain warranty service from Manufacturer only. Any outside repair that is completed and not authorized by Manufacturer will void this warranty. Manufacturer shall not be liable for any costs, loss of product performance, person injury, or damages associated from third party repair.
- (d) Purchaser may be required to deliver and retrieve Purchaser product to and from Manufacturer at Purchaser's expense. Purchaser is responsible for properly packaging product, paying all shipping costs, loss or damage to the product during shipping, and any other taxes, fees, or charges associated with transporting the product to Manufacturer's facility.
- (e) No parts or products will be sent from manufacturer until defective or damaged parts or products are received and diagnosed by Manufacturer. Manufacturer will return all refurbished or replacement parts in same shipping method and carrier as package was received. All parts must be received in 10 working days from date of requested warranty service.

NEW 2-Year Warranty

STERAMINE®

Quaternary Sanitizer

Medical & Health, Education & Child Care, Food & Hospitality



"Steramine offers us many advantages compared to the caustic bleach sanitizing solution we were using."

Meaghan H., Nashville, TN

Eliminate Daily Mixing

Mix a one-ounce Steramine packet with water in our four-gallon dispensing container. You can apportion solution until completely used, unlike chlorine mixtures which dissipate, requiring daily mixing.

Stain Free Sanitizing

Differing from concentrated chlorine, Steramine will not cause staining on clothing, rugs or other porous or non-porous surfaces. Steramine has a fresh, clean scent.

Proper Concentration Levels

Steramine is supplied in pre-measured packets. Portion control packets allow for precise blending to prevent over or under concentration of solution. Quaternary test strips assure proper levels.

Less Storage Space

Store the pre-measured packets and mix when needed. One, Express Pack makes forty gallons of 200 p.p.m. quaternary sanitizing solution, requiring less shelf space.

One Packet Makes Four Gallons Of 200 p.p.m. Quaternary Sanitizer

Starter-Kit Pack

Includes: Express Pack, 4-Gallon Dispenser Trigger Spray Bottle, and Quat Test Strips



STERAM



TE's

N

0

1

OzarkRiver

Salem, Missouri Toll Free: 1.866.663.1982 Tel: 573.729.3846 www.OzarkRiver.com