



Job Name:


Job Type:

Comments:

Quantity:

11007: New Construction Non-IC Recessed Housing

Specification Images:



Collection: Recessed Lighting

Non-IC Light 6" Housing for New Construction

Trims: 11032AT, 11037AT, 11038AT, 11044AT, 11045AT, 11020AT, 11023AT, 11033AT, 11034AT, 11035AT, 1136AT, 11039AT, 1151AT, 1154AT, 11055AT

Safe - Thermally Protected/Listed for Damp Location: Non-IC housings are approved for use where insulation is kept at least 3" away from housing.

Housing Adjustment: Housing adjusts vertically for various ceiling thicknesses.

Bar Hanger: Break-away bar hangers easily extend and will not fall out of plaster flange, providing sturdy installation.

Joist Tab: Tab to locate on bottom of joist.

Notch for T-Bar Ceilings: No clips required. Secure bar hanger to T-Bars with wires or screws.

Sealed Trim: One piece sealed trims. No light leaks.


Quick Hit: Integral captive nails included and positioned for fast, easy installation.

Bar Hanger Locking Screw: Tighten screw to lock bar hangers in place.

Hinged Door: The hinged junction box door allows full access for wiring while remaining attached to the recess housing.

Junction Box with Integral Romex Connector: Junction box with integral romex connector, quick-push and lock connector and through circuit wiring with 4 in, 4 out #12 wire, saves installation time.

UPC #:785652110078



Dimensions:

Diameter:	6 3/8"
Length:	13 1/2"
Width:	10 3/4"
Height:	7 13/16"

Features:

- Easily converts to LED with optional lamping
- Meets Title 24 energy efficiency standards

Material List:

1 Housing - Steel - Raw Steel

Safety Listing:

UL Listed for Damp Locations / Non-IC
cUL Listed for Damp Locations / Non-IC

Shipping Information:

Package Type	Product #	Quantity	UPC	Length	Width	Height	Cube	Weight	UPS Ship
Individual	11007	1	785652110078	14.5	9	8	0.604	2.9	Yes
Master Pack		6	10785652110075	23	18.5	8.75	2.155	19.6	Yes
NJ Pallet		192		48	40	75.25	83.611	627.2	No
NV Pallet		192		48	40	75.25	83.611	627.2	No

Trim

11020AT-15
6" Open Trim
White Steel Trim
Maximum Wattage:
65w BR-30
13.5w LED A-19
15w LED PAR30L
18w LED PAR38
75w Par30L

11023AT-15
White Finish R40 Open Tri
White Steel Trim
Maximum Wattage:
15w LED BR30
18w LED BR40
15w LED PAR30L
18w LED PAR38

11032AT-14
6" Multiplier Trim
White Trim / Baffle
Aluminum Trim
Maximum Wattage:
50w Par30S
75w Par30
90w Par38
65w BR-30
90w BR-40
15w LED PAR30L
18w LED PAR38
15w LED BR30
18w LED BR40

11032AT-172
6' Multiplier Trim
Antique Bronze Aluminum
Aluminum Multiplier
White Aluminum Trim
Maximum Wattage:
50w Par30S
75w Par30
90w Par38
65w BR-30
90w BR-40
15w LED PAR30L
18w LED PAR38
15w LED BR30
18w LED BR40

11032AT-22
6" Multiplier Trim
Polished Aluminum Aluminum
Aluminum Multiplier
White Aluminum Trim
Maximum Wattage:
50w Par30S
75w Par30
90w Par38
65w BR-30
90w BR-40
15w LED PAR30L
18w LED PAR38
15w LED BR30
18w LED BR40

11032AT-71
6" Multiplier Trim
Antique Bronze Aluminum
Aluminum Multiplier
Antique Bronze Aluminum Trim
Maximum Wattage:
50w Par30S
75w Par30
90w Par38
65w BR-30
90w BR-40
15w LED PAR30L
18w LED PAR38
15w LED BR30
18w LED BR40

11032AT-849
6" Multiplier Trim
Satin Nickel Aluminum
Trim
Maximum Wattage:
50w Par30S
75w Par30
90w Par38
65w BR-30
90w BR-40
15w LED PAR30L
18w LED PAR38
15w LED BR30
18w LED BR40

11032AT-861
6" Multiplier Trim
Satin Nickel - White Aluminum
Aluminum Multiplier
White Aluminum Trim
Maximum Wattage:
50w Par30S
75w Par30
90w Par38
65w BR-30
90w BR-40
15w LED PAR30L
18w LED PAR38
15w LED BR30
18w LED BR40

11033AT-15
6" Flat Glass Shower Trim
Satin White Glass Diffuser
White Aluminum Reflector
White Aluminum Trim
Maximum Wattage:
40w A-19
8w LED A-19
Suitable For Shower Light

11034AT-15
6" Drop Lens Shower Trim
Satin White Glass Diffuser
White Aluminum Reflector
White Aluminum Trim
Maximum Wattage:
40w A-19
8w LED A-19
Suitable For Shower Light

11035AT-15
6" Flat Glass Trim
Satin White Glass
Diffuser
White Aluminum Reflector
White Steel Trim
Maximum Wattage:
40w A-19
8w LED A-19
Suitable For Shower Light

11037AT-15
6" Regressed Eyeball Trim
White
White Steel Trim
Maximum Wattage:
15w LED PAR30L
15w LED BR30
75w Par30L
65w BR-30

11039AT-15
6" Wall Wash Trim
White Steel Housing
White Steel Trim
Maximum Wattage:
40w A-19
8w LED A-19
15w LED PAR30L

11044AT-15
6" Gimbal Trim
White Steel Baffle
White Steel Trim
Maximum Wattage:
15w LED PAR30L
18w LED PAR38

11055AT-15
6" Fresnal Glass Shower T
Clear Glass Lens
White Aluminum Reflector
White Aluminum Trim
Maximum Wattage:
40w A-19
8w LED A-19
Suitable For Shower Light

1136AT-15
6" Eyeball Trim
White
White Steel Trim
Maximum Wattage:
15w LED PAR30L
15w LED BR30
75w Par30L
65w BR-30

1151AT-14
6" Baffle Trim
White Trim / Baffle Aluminum
Trim
Maximum Wattage:
50w Par30S
75w Par30L
90w Par38
65w BR-30
90w BR-40
13.5w LED A-19
15w LED PAR30L
18w LED PAR38
15w LED BR30

1151AT-15
6" Baffle Trim
Black Aluminum Baffle
White Aluminum Trim
Maximum Wattage:
50w Par30S
75w Par30L
90w Par38
65w BR-30
90w BR-40
13.5w LED A-19
15w LED PAR30L
18w LED PAR38
15w LED BR30

1154AT-14
6" Open Cone Shower Trim
White Trim / Baffle
Aluminum Baffle
White Trim / Baffle
Aluminum Trim
Maximum Wattage:
50w Par30S
75w Par30L
90w Par38
13.5w LED A-19
15w LED PAR30L
18w LED PAR38
Suitable For Shower Light