



Date: _____

Project: _____

Fixture Type: _____

Specifier/Rep: _____



Certified by  for North American Standard

APPLICATION:

Recessed - Trimless

ELECTRICAL:

Lamp Category: LED

Power Supply:

Integral

OPTICS:

Diffusor Material:

N/A

Diffusor Finish:

(See next page for available options)

Reflector: N/A

Efficiency:

N/A

PRODUCT FEATURES:

Fixed Plaster Housing Frame with 2 x 13W LED - (LED lamp with integral driver included)

CONSTRUCTION:

Fixture Material:

Plaster

Fixture Finish:

(See next page for available options)

Voltage/Constant Current:

12

(277v or 347v available upon request)

Emergency:

N/A

Available Finish/Size/Lamping Options

Options Available (See next pages)

Component Requirement:

Complete Unit, no component required

IP RATING:

N/A



Invisibili - Adjustable - 2 x LED 13W

Date: _____

Project: _____

Fixture Type: _____

Specifier/Rep: _____

Available Sizing/Lamp Options:

Model No	Fixture - Diffuser	Details
D8-6264	White - N/A	L: 35cm / 13 3/4" W: 20cm / 7 3/4" H: 12cm / 4 3/4", One LED, Max. 13W, 12V, (3000°)K, 40°
D8-6265	White - N/A	L: 35cm / 13 3/4" W: 20cm / 7 3/4" H: 12cm / 4 3/4", One LED, Max. 13W, 12V, (6000°)K, 40°
D8-6266	White - N/A	L: 35cm / 13 3/4" W: 20cm / 7 3/4" H: 12cm / 4 3/4", One LED, Max. 13W, 12V, (3000°)K, 40°
D8-6267	White - N/A	L: 35cm / 13 3/4" W: 20cm / 7 3/4" H: 12cm / 4 3/4", One LED, Max. 13W, 12V, (6000°)K, 40°

Date: _____

Project: _____

Fixture Type: _____

Specifier/Rep: _____

Installation Guide

