


Date: _____

Project: _____




Fixture Type: _____

Specifier/Rep: _____




 $34.5 \times 34.5 \text{ cm}$
 $13 \frac{1}{2}'' \times 13 \frac{1}{2}''$

$19.5 \times 19.5 \text{ cm}$
 $7 \frac{3}{4}'' \times 7 \frac{3}{4}''$



■ WITH METAL FRAME

Certified by  for North American Standard

APPLICATION:

Recessed - Trimless

CONSTRUCTION:

Fixture Material:

Plaster

Fixture Finish:

(See next page for available options)

Available Finish/Size/Lamping Options

Options Available (See next pages)

Component Requirement:

Component(s) Required, see Components Page

ELECTRICAL:

Lamp Category: LED

Power Supply:

Not Included

Voltage/Constant Current:

700mA

(277v or 347v available upon request)

Emergency:

N/A

IP RATING:

IP20

OPTICS:

Diffusor Material:

N/A

Diffusor Finish:

(See next page for available options)

Reflector: N/A

Efficiency:

N/A

PRODUCT FEATURES:



Invisibili - Fixed Light LED

Date: _____

Project: _____

Fixture Type: _____

Specifier/Rep: _____

Available Sizing/Lamp Options:

Model No	Fixture - Diffuser	Details
D8-6023	White - N/A	L: 33.5cm / 13 1/8" W: 33.5cm / 13 1/8" H: 12cm / 4 3/4", One LED, Max. 25.4W
D8-6110	White - N/A	L: 33.5cm / 13 1/8" W: 33.5cm / 13 1/8" H: 12cm / 4 3/4", One LED, Max. 25.4W, 3000° K


Date: _____

Project: _____

Fixture Type: _____

Specifier/Rep: _____

COMPONENTS:

Model Number	Description	Image	Application/Line-art
DR017700	Invisibili - LED Driver, Driver 17w 700mA		
DR035700	Invisibili - LED Driver, Driver 35w 700mA		

Date: _____

Project: _____

Fixture Type: _____

Specifier/Rep: _____

Installation Guide

