


IN 


HALL

25-1940-BW-14

Design by Nahtrang design



The photograph may not match the reference exactly. Please read the product description to identify the finish.



TECHNICAL CHARACTERISTICS

Type:	Floor lamp
IP Protection degrees:	IP20
Light source 1:	3 x E27 30W Maximum lamp length: 176.00 mm Maximum lamp diameter: 60.00 mm
Total power consumption (W):	90
Voltage / Frequency:	220-240V/50-60Hz
Units per box:	1
Net Weight (Kg):	5.63
Stability:	15°



MATERIALS / FINISHES


Structure material: Steel

Diffuser material: Fabric shade
Methacrylate

Structure finish: Matt white

Diffuser finish: White
Tinted

Download photometric file .ldt /.ies




Click on image to download energy label

Luminaire		Measur.		Lamp	
Code	25-1940-BW-14	Code	25-1940-BW-14	Code	DLX EL LL 30W827E27
Name	Lamp. pie HALL 3x30W E27 P197	Name	Lamp. pie HALL 3x30W E27 P197	Number	3
Line	- LEDS-C4	Date	15-07-2014	Position	Universal
Efficiency	76.39%	Coordinate system	CG	Total Flux	5700.00 lm
Maximum value	686.99 cd	Position	C=30.00 G=25.00	Asymmetrical	
Round Luminaire	Diam.	500 mm	Height	290 mm	
Round Luminous Area	Diam.	500 mm	Height	290 mm	
Horizontal Luminous Area	0.196350 m2	Emitting area on Plane 180°		0.145000 m2	
Emitting area on Plane 0°	0.145000 m2	Emitting area on Plane 270°		0.145000 m2	
Emitting area on Plane 90°	0.145000 m2	Glare area at 76°		0.188194 m2	
Symmetry Type	Asymmetrical	Maximum Gamma Angle		180	
Measurement Distance	6.44	Measurement Flux		5404.00 lm	
Operator	Asselum T2	Source voltage		230.00 V	
Temperature	25.00 °C	Source current		Prc	
Humidity	58.00 %	Photocell			
Notes					


Luminaire Lamps						
Line	Code	Name	Flux [lm]	Pow. [W]	Q.ty	
OSRAM 2006 FB,T,G,C,FS,Q,M,D	DLX EL LL 30W827E27	DULUX® EL LONGLIFE 30W/827 E27	1900.00	30.00	3	
C.I.E.	39 70 89 57 76	D DIN 5040	C21			
F UTE	0.44 G + 0.33 T	B NBN	BZ 6 / 0.8 / BZ 5 / 4 / BZ 6			



Diam=500mm




C Halfplanes
 180.0 — 0.0
 270.0 — 90.0

ULOR 32.76 %
 DLOR 43.63 %
 RN 42.89 %







1




2




3



4



5



6

