





### TECHNICAL CHARACTERISTICS

Type:	UPLIGHT RECESSED
IP Protection degrees:	IP67
IK Protection degrees:	IK10
Light source 1:	1 x E27 max.20W Maximum lamp length: 175.00 mm
Voltage / Frequency:	220-240V/50-60Hz
Warranty (Years):	2
Units per box:	4
Net Weight (Kg):	2.045
EAN:	8435111097946


The photograph may not match the reference exactly. Please read the product description to identify the finish.




### MATERIALS / FINISHES

<b>Structure material:</b>	High purity aluminium Technopolymer	<b>Diffuser material:</b>	Polycarbonate
<b>Structure finish:</b>	Grey	<b>Diffuser finish:</b>	Matt

PL 20W




Download photometric file .ldt /.ies




Click on image to download energy label


71-9477-08-08

**Structure material:** Polycarbonate**Structure finish:** Green


71-9477-11-11

**Structure material:** Polycarbonate**Structure finish:** Blue

71-9477-24-24



**Structure material:** Polycarbonate

71-9477-25-25


**Structure material:** Polycarbonate**Structure finish:** Red

POLICARBONATO SEMITRASPARENTE MATE  
SEMITRANSSPARENT MATT POLYCARBONATE

TECNOPOLÍMERO  
TECHNOPOLYMER



CAJA DE EMPOTRAR  
FLUSH FITTING BOX



ALUMINIO DE ALTA PUREZA  
HIGH QUALITY ALUMINIUM

