


Available Trim Kits



R120 Valve Body Shown

MODEL NUMBER:

- R120 Pressure Balance Rough Valve Body only**
Direct sweat inlets/outlets. LESS trim.
- R120SS Pressure Balance Rough Valve Body only with Screwdriver stops**
Direct sweat inlets/outlets. Screwdriver stops. LESS trim.
- R125 Pressure Balance Rough Valve Body only**
Female thread inlets/outlets. LESS trim.
- R125SS Pressure Balance Rough Valve Body only with Screwdriver stops**
Female thread inlets/outlets. Screwdriver stops. LESS trim.

See reverse for available trim kits.

GENERAL DESCRIPTION:

Cast brass body, washerless 47mm ceramic disc valve cartridge with volume and temperature control, and hot limit safety stop. Pressure balancing cartridge maintains constant output temperature in response to changes in relative hot and cold supply pressure. One-half inch inlets and outlets (choice of direct sweat or threaded). Available with screwdriver stops. Rough-in plaster guard designed for use as thin-wall mounting adaptor. Valve body will accept a variety of decorative Bath/Shower trim kits.

PRODUCT FEATURES:

Cast Brass Valve Body: Durable - Quality that will last a lifetime. Ideal material for prolonged contact with water.


Ceramic Disc Valve Cartridge: Assures a lifetime of drip-free performance. Allows easy control over both water temperature and volume.

Pressure Balancing Valve Cartridge: Maintains constant output temperature in response to changes in relative hot and cold supply pressure. Diaphragm system engineered to eliminate cross flow. Avoids failure due to mineral deposits - ideal for use in hard water.

Adjustable Hot Limit Safety Stop: Limits the amount of hot water allowed to mix with cold. Reduces the risk of accidental scalding.

Exclusive Plaster Guard: Plaster guard is designed to protect valve during installation and serve as a mounting plate for thin-wall installations. Two piece design allows valve to be tested prior to trim installation.

Wide Rough-in Range: From 1-5/8" to 3-1/4".




SUGGESTED SPECIFICATION:

Bath/shower fitting shall feature a cast brass valve body. Shall feature ceramic disc valve cartridge which allows user to control both water temperature and volume. Fitting shall be equipped with pressure balancing cartridge engineered to eliminate cross flow and avoid failure due to mineral deposits. Shall also feature a hot limit safety stop. Fitting shall be: Rough Valve Body - American Standard Model # R12____, Trim Kit - American Standard Model # ____.

UPGRADABLE PRESSURE BALANCE BATH/SHOWER FITTING VOLUME AND TEMPERATURE CONTROL VALVE

Valve + Trim: Trim Kit & Valve Body Packaged Separately
To order: Specify valve body *and* trim kit desired
 Example: R120 - Direct Sweat Valve Body
 T508.502 - Princeton Bath/Shower Trim Kit



VALVES				
	R120	R120SS	R125	R125SS
	Direct Sweat Inlets/Outlets	Direct Sweat Inlets/Outlets w/ Screwdriver Stops	Female Thread Inlets/Outlets	Female Thread Inlets/Outlets w/ Screwdriver Stops













CODES AND STANDARDS

These products meet or exceed the following codes and standards:
ANSI A 117.1
ASSE 1016
ASME A112.18.1
CSA B 125









- Showerhead with 2.5gpm/9.5L.min. flow restrictor.

TRIM KITS	Colony "Soft"	Reliant+ Lever	Reliant 3	Princeton	Seva	Ceramix	Standard	Jasmine	Tendence
B/S	T675.502	T495.502	T385.502	T508.502	T480.502	T000.502	T6282	T808.502	T086.502
Shower	T675.501	T495.501	T385.501	T508.501	T480.501	T000.501	T6281	T808.501	T086.501
Valve	T675.500	T495.500	T385.500	T508.500	T480.500	T000.500	T6280	T808.500	T086.500
		Reliant+ Loop	Reliant 3 w/mod Plate						
		T495.562	T385.522						
		T495.561	T385.521						
		T495.560	T385.520						










Trim Kits for R120, R120SS, R125, R125SS rough valve bodies. Showerhead with 2.5gpm/9.5L/min. maximum flow. TRIM KITS ONLY. VALVE MUST BE ORDERED SEPARATELY.

Trim Kit	Model # Description	Finishes*	Roughing-In Dimensions
COLONY SOFT  	T675.502 BATH/SHOWER Trim Kit <ul style="list-style-type: none"> • Metal Lever handle • "Easy Clean" Showerhead • Shower arm and flange • Slip-on Diverter tub spout 	.002 Polished Chrome .099 Polished Brass (PVD)	
	T675.501 SHOWER ONLY Trim Kit <ul style="list-style-type: none"> • Metal Lever handle • "Easy Clean" Showerhead • Shower arm and flange 		
	T675.500 VALVE ONLY Trim Kit <ul style="list-style-type: none"> • Metal Lever handle 		
RELIANT+  	T495.502 BATH/SHOWER Trim Kit <ul style="list-style-type: none"> • Brass wall escutcheon • Metal Lever handle • "Easy Clean" Showerhead • Shower arm and flange • Slip-on Diverter tub spout 	.002 Polished Chrome .099 Polished Brass (PVD) .299 Pol. Chrome/Brass (PVD) mix.	
	T495.501 SHOWER ONLY Trim Kit <ul style="list-style-type: none"> • Brass wall escutcheon • Metal Lever handle • "Easy Clean" Showerhead • Shower arm and flange 		
	T495.500 VALVE ONLY Trim Kit <ul style="list-style-type: none"> • Brass wall escutcheon • Metal Lever handle 		
RELIANT+ LOOP  	T495.562 BATH/SHOWER Trim Kit <ul style="list-style-type: none"> • Brass wall escutcheon • Metal Lever Loop handle • "Easy Clean" Showerhead • Shower arm and flange • Slip-on Diverter tub spout 	.002 Polished Chrome .099 Polished Brass (PVD)	
	T495.561 SHOWER ONLY Trim Kit <ul style="list-style-type: none"> • Brass wall escutcheon • Metal Lever Loop handle • "Easy Clean" Showerhead • Shower arm and flange 		
	T495.560 VALVE ONLY Trim Kit <ul style="list-style-type: none"> • Brass wall escutcheon • Metal Lever Loop handle 		
Reliant 3  	T385.502 BATH/SHOWER Trim Kit <ul style="list-style-type: none"> • Metal wall escutcheon • Metal lever handle • "Easy Clean" Showerhead • Shower arm and flange • Slip-on diverter tub spout • LESS valve 	.002 Polished Chrome .295 Satin Nickel (PVD)	
	T385.501 SHOWER ONLY Trim Kit <ul style="list-style-type: none"> • Metal wall escutcheon • Metal lever handle • "Easy Clean" Showerhead • Shower arm and flange • LESS valve 		
	T385.500 VALVE ONLY Trim Kit <ul style="list-style-type: none"> • Metal wall escutcheon • Metal lever Handle • LESS valve 		

Trim Kits for R120, R120SS, R125, R125SS rough valve bodies. Showerhead with 2.5gpm/9.5L/min. maximum flow. **TRIM KITS ONLY. VALVE MUST BE ORDERED SEPARATELY.**

Trim Kit	Model # Description	Finishes*	Roughing-In Dimensions
<p>Reliant 3</p> 	<p>T385.522 BATH/SHOWER Trim Kit</p> <ul style="list-style-type: none"> • Large metal wall escutcheon • Metal lever Loop handle • "Easy Clean" Showerhead • Shower arm and flange • Slip-on diverter tub spout • LESS valve <p>T385.521 SHOWER ONLY Trim Kit</p> <ul style="list-style-type: none"> • Large metal wall escutcheon • Metal lever Loop handle • "Easy Clean" Showerhead • Shower arm and flange • LESS valve <p>T385.520 VALVE ONLY Trim Kit</p> <ul style="list-style-type: none"> • Large metal wall escutcheon • Metal lever Loop Handle • LESS valve 	<p>.002 Polished Chrome .295 Satin Nickel (PVD)</p>	
<p>PRINCETON</p> 	<p>T508.502 BATH/SHOWER Trim Kit</p> <ul style="list-style-type: none"> • Metal Lever Handle • Wall escutcheon • Showerhead, arm and flange • Slip-on diverter tub spout • LESS Valve <p>T508.501 SHOWER ONLY Trim Kit</p> <ul style="list-style-type: none"> • Metal Lever Handle • Wall escutcheon • Showerhead, arm and flange • LESS Valve <p>T508.500 VALVE ONLY Trim Kit</p> <ul style="list-style-type: none"> • Metal Lever Handle • Wall escutcheon • LESS Valve 	<p>.002 Polished Chrome .295 Satin Nickel (PVD)</p>	
<p>SEVA</p> 	<p>T480.502 BATH/SHOWER Trim Kit</p> <ul style="list-style-type: none"> • Brass wall escutcheon • Metal Lever handle • "Vario" adjustable showerhead • Shower arm and flange • Slip-on Diverter tub spout <p>T480.501 SHOWER ONLY Trim Kit</p> <ul style="list-style-type: none"> • Brass wall escutcheon • Metal Lever handle • "Vario" adjustable showerhead • Shower arm and flange <p>T480.500 VALVE ONLY Trim Kit</p> <ul style="list-style-type: none"> • Brass wall escutcheon • Metal Lever handle 	<p>.002 Polished Chrome .295 Satin Nickel (PVD) .299 Pol. Chrome/Brass (PVD) mix.</p>	
<p>CERAMIX</p> 	<p>T000.502 BATH/SHOWER Trim Kit</p> <ul style="list-style-type: none"> • Brass wall escutcheon • Metal Lever handle • "Vario" adjustable showerhead • Cast Brass shower arm • Cast Brass diverter tub spout <p>T000.501 SHOWER ONLY Trim Kit</p> <ul style="list-style-type: none"> • Brass wall escutcheon • Metal Lever handle • "Vario" adjustable showerhead • Cast Brass shower arm <p>T000.500 VALVE ONLY Trim Kit</p> <ul style="list-style-type: none"> • Brass wall escutcheon • Metal Lever handle 	<p>.002 Polished Chrome .295 Satin Nickel (PVD)</p> <p>Note: Trim kits CANNOT be used with Ceramix spool type valves.</p>	

Trim Kits for R120, R120SS, R125, R125SS rough valve bodies. Showerhead with 2.5gpm/9.5L/min. maximum flow. **TRIM KITS ONLY. VALVE MUST BE ORDERED SEPARATELY.**

Trim Kit	Model # Description	Finishes*	Roughing-In Dimensions
<p>STANDARD</p>  	<p>T6282 BATH/SHOWER Trim Kit</p> <ul style="list-style-type: none"> • Metal wall escutcheon • Porcelain Lever Handle • 5" Adjustable showerhead • Cast brass I.P.S. diverter tub spout <p>T6281 SHOWER ONLY Trim Kit</p> <ul style="list-style-type: none"> • Metal wall escutcheon • Porcelain Lever Handle • 5" Adjustable showerhead <p>T62820 BATH/SHOWER Trim Kit</p> <ul style="list-style-type: none"> • Metal wall escutcheon • Porcelain Lever Handle 	<p>T6282 Polished Chrome T6282S Satin Nickel (PVD)</p> <p>T6281 Polished Chrome T6281S Satin Nickel (PVD)</p> <p>T6280 Polished Chrome T6280S Satin Nickel (PVD)</p>	
<p>JASMINE</p>  	<p>T808.502 BATH/SHOWER Trim Kit</p> <ul style="list-style-type: none"> • Brass wall escutcheon • Metal Lever Handle • Rain showerhead • Cast brass shower arm • Cast brass diverter tub spout <p>T808.501 SHOWER ONLY Trim Kit</p> <ul style="list-style-type: none"> • Brass wall escutcheon • Metal Lever Handle • Rain showerhead • Cast brass shower arm <p>T808.500 BATH/SHOWER Trim Kit</p> <ul style="list-style-type: none"> • Brass wall escutcheon • Metal Lever Handle 	<p>.002 Polished Chrome .008 Polished Nickel .068 Blackened Bronze (PVD) .099 Polished Brass (PVD) .221 Satin (PVD)/Pol.Chrome mix. .295 Satin Nickel (PVD) .297 Satin/Brass mixage (PVD) .299 Pol. Chrome/Brass (PVD) mix.</p>	
<p>TENDENCE</p>  	<p>T086.502 BATH/SHOWER Trim Kit</p> <ul style="list-style-type: none"> • Brass wall escutcheon • Metal Lever Handle • "Vario" adjustable showerhead • Cast brass shower arm • Cast brass diverter tub spout <p>T086.501 SHOWER ONLY Trim Kit</p> <ul style="list-style-type: none"> • Brass wall escutcheon • Metal Lever Handle • "Vario" adjustable showerhead • Cast brass shower arm <p>T086.500 BATH/SHOWER Trim Kit</p> <ul style="list-style-type: none"> • Brass wall escutcheon • Metal Lever Handle 	<p>.002 Polished Chrome .295 Satin Nickel (PVD)</p>	

***EverClean™ Finish:**

- Offered on: Polished Chrome (002), Stainless Steel (075), Polished Brass (099) and Satin Nickel (295) finish. (and any combination of these finishes).
- One wipe effortlessly removes spots.
- Eliminates the need for cleaners and scrubbing.

EverClean Finish is offered on Jasmine, Tendence, Ceramix and Reliant 3.