

ELKAY[®]

SPECIFICATIONS

Avado™

Undermount Double Bowl Sink

Models EFRU3219 and EFRU321910

GENERAL

Highest quality sink fabricated of #16 (1.6mm) gauge, type 304 (18-8) nickel bearing stainless steel. Reversible design allows the sink to be rotated so the small bowl may be on the right or left.

DESIGN FEATURES

Bowl Depth: 8" (203mm) large bowl, 6" (152mm) small bowl (EFRU3219), 10" (254mm) large bowl, 6" (152mm) small bowl (EFRU321910).

Coved Corners: Approximately 5/8" (15mm).

Finish: Exposed surfaces have a Polished Satin Finish.


Underside: Fully protected by heavy duty Sound Guard® undercoating designed to reduce condensation and dampen sound.

OTHER

Drain Opening: 3-1/2" (89mm).

NOTE: All Elkay undermount sinks are designed to attach to the underside of any solid surface countertop.

Sink complies with ASME A112.19.3-2008 / CSA B45.4-08



Model EFRU321910




These sinks are listed by the International Association of Plumbing and Mechanical Officials as meeting the requirements of the Uniform Plumbing Code.

SINK PACKAGE(S)

MODEL	SINK	BOTTOM GRID	QTY	DRAIN	QTY
EFRU3219DBG	EFRU3219	LKFBG2115SS	1	LK99	1
EFRU321910DBG	EFRU321910	LKFBG2115SS	1	LK99	1

Installation Profile of EFRU Models

The template provided with each EFRU sink provides the only type of installation recommended by Elkay



SEE NEXT PAGE FOR PRODUCT DIMENSIONS.

In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit elkayusa.com for most current version of Elkay product specification sheets.

This specification describes an Elkay product with design, quality and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.

Elkay

elkayusa.com

2222 Camden Court
Oak Brook, IL 60523

Printed in U.S.A.
©2010 Elkay

(Rev. 01/10)

1-270C

ELKAY[®]

SPECIFICATIONS

Avado™

Undermount Double Bowl Sink


Models EFRU3219 and EFRU321910

SINK DIMENSIONS*

Model Number	Overall		Inside Small Bowl			Inside Large Bowl			Cutout in Countertop	Minimum Cabinet Size
	L	W	L	W	D	L	W	D		
EFRU3219	32 ¹ / ₄ (819mm)	18 ¹ / ₄ (464mm)	7 ¹ / ₂ (191mm)	15 ³ / ₄ (400mm)	6 (152mm)	21 (533mm)	15 ³ / ₄ (400mm)	8 (203mm)	See Template**	36 (914mm)
EFRU321910	32 ¹ / ₄ (819mm)	18 ¹ / ₄ (464mm)	7 ¹ / ₂ (191mm)	15 ³ / ₄ (400mm)	6 (152mm)	21 (533mm)	15 ³ / ₄ (400mm)	10 (254mm)	See Template**	36 (914mm)

*Length is left to right. Width is front to back

**Template is packed with every sink.



In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit elkayusa.com for most current version of Elkay product specification sheets.

This specification describes an Elkay product with design, quality and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.

ELKAY[®]

SPECIFICATIONS

Avado™
Undermount Double Bowl Sink
Models EFRU3219 and EFRU321910

OPTIONAL ACCESSORIES

Mounting Clips: LKUCLIP8 (2 packages required)

Utensil Caddy for Rinsing Basket: LKWUCSS


Drain: LK99

For Additional Accessories see table below


Model Number	Description	Bowl	Overall			Material/Finish
			L	W	Depth/Thickness	
LKCBF2115HW	Cutting Board**	Large	20-1/2" (521mm)	16-5/8" (422mm)	1" (25mm)	Hardwood
LKDT715SS	Drain Tray	Small	6-5/8" (168mm)	16-5/8" (422mm)	1-1/8" (29mm)	Satin stainless steel
LKFBG2115SS	Bottom Grid	Large	20" (508mm)	14-3/4" (375mm)	1-1/8" (29mm)	Polished stainless steel
LKFRB2115SS	Rinsing Basket	Large	20" (508mm)	14-3/4" (375mm)	5 5/16" (135mm)	Polished stainless steel
LKFRB715SS	Rinsing Basket	Small	6-1/2" (165mm)	15" (381mm)	5 5/16" (135mm)	Polished stainless steel

*Length is left to right. Width is front to back.


** Fits Countertop opening




LKCBF2115HW




LKDT715SS



LKFBG2115SS



LKFRB2115SS



LKFRB715SS

In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit elkayusa.com for most current version of Elkay product specification sheets.

This specification describes an Elkay product with design, quality and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.

Elkay

elkayusa.com

2222 Camden Court
 Oak Brook, IL 60523

Printed in U.S.A.
 ©2010 Elkay

(Rev. 01/10)

1-270C